


IP Configuration View



Dynamic/Static Private IP

IP Configuration

1: Subnet Direct HelloDevice

- IP (Static Private IP) Subnet
가 IP (Dynamic IP) IP
가 .

- : .가 IP IP Setting .
. HelloDevice가 IP Server
IP Programming .
. HelloDevice Client Server
. HelloDevice
HelloDevice가 Server 가
가 .
. Utility Program
MAC Address IP .

2: Subnet DB Server Web Server Application Server

- Application Server DB Server HelloDevice Daemon
Daemon Subnet
가 HelloDevice

- HelloDevice IP Application Server HelloDevice
가 DB Application Service가

- HelloDevice가 IP HelloDevice Client
Application Server DB Client DB
HelloDevice 가 .

6: Home Networking 가 HelloDevice
 PC 2Port ADSL
 Cable Modem .
 - 2 Port IP
 G/W . IP가
 가 .
 - : . ISP IP .
 ()
 . IP Programming ISP
 ID IP가
 . (HD1320 가)
 . HelloDevice Client
 Application Application Server
 . (Application Server)

7: HomeNetwork 가 Data Ethernet
 PLC (Power Line Communication), BlueTooth, Home
 PNA .
 - N/W IP .

8: HelloDevice Application
 Service .
 - HelloDevice IP Client
 Application Server Application
 Server HelloDevice .